# Safety Data Sheet

Issue Date: 01-Sep-2000 Revision Date: 20-Nov-2015 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name AZEK Adhesive

Other means of identification

SDS # AZEK-A04070 A08070 A16070 A32070 A38070 A50070

Recommended use of the chemical and restrictions on use
Recommended Use UV PVC cement for Trim

Details of the supplier of the safety data sheet

Supplier Address Azek Building Products 888 N Keyser Ave Scranton, PA 18504

**Emergency Telephone Number** 

Company Phone Number 1-888-367-4583

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

AppearanceClear, medium bodiedPhysical StateLiquidOdorAminesyrupy liquidOdorAmine

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3

## **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

# Signal Word Danger

# **Hazard Statements**

Causes skin irritation
Causes serious eye irritation
May damage fertility or the unborn child
May cause respiratory irritation. May cause drowsiness or dizziness





#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
N-methyl-2-pyrrolidone	872-50-4	>85
Polyvinyl Chloride Resin	Proprietary	Proprietary

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

#### First Aid Measures

**General Advice** If exposed or concerned: Get medical advice/attention.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** Wash affected areas thoroughly with soap and water for at least 15 minutes. Take off

contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if

irritation occurs.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Call a physician.

**Ingestion** Dilute by giving a large amount of water. Induce vomiting, but only if victim is fully

conscious. Call a physician or poison control center immediately.

#### Most important symptoms and effects

**Symptoms** Vapors may cause dizziness or nausea. Contact with eyes causes irritation and temporary

corneal clouding. May cause skin irritation and defatting of skin with repeated/prolonged

contact. Ingestion may cause nausea, vomiting and abdominal pain.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Water. Water spray (fog). Foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Can react with oxidizing materials.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Avoid contact with eyes. Ventilate area of leak or spill.

**Environmental Precautions** Prevent product from entering drains.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Absorb or cover with dry earth, sand, or other non-combustible material and transfer to

containers. Flush area with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wash thoroughly after handling. Use personal protection

recommended in Section 8. Avoid breathing vapors or mists. Use only in well-ventilated areas. Observe precautions found on the label. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Avoid contact with skin, eyes or clothing. Train employees on all special handling procedures before they

work with this product.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Store in the shade between 40°F-110°F (5°C-43.7°C).

**Incompatible Materials** Moisture. Strong acids. Oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** No exposure limits noted for ingredient(s)

**Appropriate engineering controls** 

**Engineering Controls** Eyewash stations. Showers. Ventilation systems. Use explosion proof equipment.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash proof chemical safety goggles.

**Skin and Body Protection**Butyl rubber or Fep teflon gloves. Impervious apron. Boots as necessary.

**Respiratory Protection** If vapors or mists are generated, wear a NIOSH/MSHA approved organic vapor/mist

respirator or an air supplied respirator as appropriate. Use only SCBA for emergencies.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear, medium bodied syrupy liquid Odor Amine

Color Not determined Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting Point/Freezing Point Not determined
Boiling Point/Boiling Range 204.3 °C / 401 °F

Flash Point 95.6 °C / 204 °F ASTM D-93-73 Based on UL

Evaporation RateNot availableFlammability (Solid, Gas)n/a-liquidUpper Flammability Limits9.5%Lower Flammability Limit1.3%

Vapor Pressure <1 millibar @ 20°C (68°F)

Vapor Density 3.4 (Air=1)

Specific Gravity 1.10±0.040

Water Solubility Solvent: complete; Resin: precipitates

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

VOC Content VOC as manufactured: 920 g/L

Maximum VOC emission per SCAQMD Rule 1168, Test Method 316A: 510 g/L

\_\_\_\_\_

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Hygroscopic (absorbs moisture from the air).

#### **Incompatible Materials**

Moisture. Strong acids. Oxidizing agents.

#### **Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Causes skin irritation.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be harmful if swallowed.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-methyl-2-pyrrolidone 872-50-4	= 3598 mg/kg ( Rat )	= 8 g/kg(Rabbit)	= 3.1 mg/L (Rat) 4 h
Polyvinyl Chloride Resin	> 90 mL/kg (Rat)	-	-

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Reproductive toxicity** May damage fertility or the unborn child.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

## **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
N-methyl-2-pyrrolidone	500: 72 h Desmodesmus	832: 96 h Lepomis		4897: 48 h Daphnia magna
872-50-4	subspicatus mg/L EC50	macrochirus mg/L LC50		mg/L EC50
	_	static 1072: 96 h Pimephales		_
		promelas mg/L LC50 static		
		1400: 96 h Poecilia reticulata		
		mg/L LC50 static		

#### Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
N-methyl-2-pyrrolidone	-0.46
872-50-4	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

Not determined

# US Federal Regulations

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
N-methyl-2-pyrrolidone - 872-50-4	872-50-4	100	1.0

# **US State Regulations**

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
N-methyl-2-pyrrolidone - 872-50-4	Developmental

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
N-methyl-2-pyrrolidone	X	X	X
872-50-4			

# 16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	2	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	<b>Personal Protection</b>
	2	0	0	Н

Issue Date:01-Sep-2000Revision Date:20-Nov-2013Revision Note:New format

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**