Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Identificatio	on	
Product ide	-	
	- -	nel Debuwathana Faam Claanar
Product code		nal Polyurethane Foam Cleaner
	ed use and restriction on	1150
	ed use: Solvents	
• Restrictions of	on use: Contact manufactu	ırer
Details of th	e supplier of the Safety	y Data Sheet
Manufacturer		
Convenience I 866 Horan Driv		Convenience
Pacific, MO 63		
Phone: 636-34		
Toll-Free: 1-80		
 Emergency te ChemTel Inc. 	elephone number:	
	924, +1 (813)248-0585	
Hazard(s) i	dentification	
Classificatio	on of the substance or i	mixture
	1 H222 Extremely flamma	
Press. Gas	•	ler pressure; may explode if heated.
Eye Irrit. 2A	H319 Causes serious e	
STOT SE 3	H336 May cause drows	-
· Label eleme	-	
· GHS label ele		
		ording to the Globally Harmonized System (GHS).
Hazard pictog	jrams:	
$\wedge \wedge$	\wedge	
	×!>	
GHS02 GHS0	4 GHS07	
011002 01100		
Signal word:	Danger	
	mining components of lat	peling:
acetone	mente.	
Hazard stater	nents: ly flammable aerosol.	
	s gas under pressure; may	explode if heated.
H280 Contains	serious eye irritation.	·
H319 Causes	ise drowsiness or dizziness	i.
H319 Causes H336 May cau		
H319 Causes H336 May cau Precautionary		aparka (apap flam as /bat aurfages. No amaking
H319 Causes H336 May cau Precautionary P210	Keep away from heat/s	sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use
H319 Causes H336 May cau Precautionary	Keep away from heat/s Pressurized container:	sparks/open flames/hot surfaces. No smoking. : Do not pierce or burn, even after use. en flame or other ignition source.

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

(Cont'd. of page 1)
Avoid breathing mist, vapors, or spray.
Wash thoroughly after handling.
Wear eye protection / face protection.
Use only outdoors or in a well-ventilated area.
38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

There are no other hazards not otherwise classified that have been identified. 0 % of the mixture consists of component(s) of unknown toxicity.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

67-64-1	acetone	 Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336 	60-80%
124-38-9	carbon dioxide	Press. Gas, H280	10-20%

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

· General information: Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

(Cont'd. of page 2)

Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Most important symptoms and effects, both acute and delayed: Headache Dizziness Coughing

Breathing difficulty

Gastric or intestinal disorders when ingested.

Irritant to eyes.

Disorientation

· Danger:

Vapours may cause drowsiness and dizziness. Condition may deteriorate with alcohol consumption.

• Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- **Special hazards arising from the substance or mixture** Extremely flammable aerosol. Danger of receptacles bursting because of high vapor pressure if heated. Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat.
 Environmental precautions: No special measures required.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

(Cont'd. of page 3)

• Methods and material for containment and cleaning up: Allow to evaporate.

Absorb liquid components with liquid-binding material. Send for recovery or disposal in suitable receptacles.

• Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling · Precautions for safe handling: Keep away from heat and direct sunlight. Use only in well ventilated areas. Avoid splashes or sprav in enclosed areas. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C. i.e. electric lights. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Emergency cooling must be available in case of nearby fire. · Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Do not expose to temperatures exceeding 50 °C/122°F.

• **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL (USA) Long-term value: 2400 mg/m³, 1000 ppm

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner (Cont'd. of page 4) REL (USA) Long-term value: 590 mg/m³, 250 ppm TLV (USA) Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI EL (Canada) Short-term value: 500 ppm Long-term value: 250 ppm EV (Canada) Short-term value: 750 ppm Long-term value: 500 ppm Short-term value: 750 ppm LMPE (Mexico) Long-term value: 500 ppm A4, IBE 124-38-9 carbon dioxide Long-term value: 9000 mg/m³, 5000 ppm PEL (USA) REL (USA) Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 54.000 mg/m³. 30.000 ppm TLV (USA) Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 15000 ppm EL (Canada) Long-term value: 5000 ppm Short-term value: 54.000 mg/m³, 30.000 ppm EV (Canada) Long-term value: 9.000 mg/m³, 5.000 ppm Short-term value: 30000 ppm LMPE (Mexico) Long-term value: 5000 ppm · Ingredients with biological limit values: 67-64-1 acetone BEI (USA) 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific) · Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. For spills, respiratory protection may be advisable. Use suitable respiratory protective device when high concentrations are present. (Cont'd. on page 6)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: <u>Touch 'n Foam Professional Polyurethane Foam Cleaner</u>

(Cont'd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • **Eye protection:**



Safety glasses

· Body protection:

Not required under normal conditions of use. Protection may be required for spills.

- Limitation and supervision of exposure into the environment Avoid release to the environment.
- Risk management measures See Section 7 for additional information.

Information on basic physical a	nd chemical properties
Appearance:	
Form:	Aerosol
Color:	Colorless
Odor:	Acetone-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	-78 °C (-108 °F) (Propellant)
Flash point:	-16.7 °C (2 °F)
Flammability (solid, gaseous):	Extremely flammable aerosol.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	250 °C (482 °F)
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits	
Lower:	2.0 Vol %
Upper:	13.0 Vol %
Vapor pressure at 20 °C (68 °F):	>150 mm Hg
Density at 20 °C (68 °F):	0.79 g/cm³ (6.593 lbs/gal)
Relative density:	Not determined.

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

	(Cont'd. of page
· Vapor density:	Not determined.
· Evaporation rate:	Not applicable.
\cdot Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octano	I/water): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC (California): • Other information	0 Vol % (EPA Method 24)
• Other Information	Acetone = EPA exempt for EPA Method 24
0 Stability and reactivity	
· Reactivity: No relevant information	ation available.
· Chemical stability:	
Thermal decomposition / conc	
	cored according to specifications.
Do not expose to temperatures e	exceeding 50 °C/122°F.
Possibility of hazardous re	
Extremely flammable aerosol.	actions:
Extremely flammable aerosol. Reacts violently with oxidizing ag	actions: gents.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b	actions: gents. because of high vapor pressure if heated.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if	actions: gents. because of high vapor pressure if heated.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid:	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s.
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Information on toxicological	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition I Toxicological information • Information on toxicologica • Acute toxicity:	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Hazardous decomposition • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification:
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if I • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition I Toxicological informatior • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva 67-64-1 acetone	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification:
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Hazardous decomposition • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva 67-64-1 acetone Oral LD50 5800 mg/kg (rat)	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification:
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Hazardous decomposition • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva 67-64-1 acetone Oral LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rat)	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification: bbit)
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Hazardous decomposition • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva 67-64-1 acetone Oral LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rat)	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. o not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification:
Extremely flammable aerosol. Reacts violently with oxidizing ag Danger of receptacles bursting b Can form explosive mixtures in a Toxic fumes may be released if • Conditions to avoid: Keep ignition sources away - Do Store away from oxidizing agent • Incompatible materials: No • Hazardous decomposition • Information on toxicologica • Acute toxicity: • LD/LC50 values that are releva 67-64-1 acetone Oral LD50 5800 mg/kg (rat) Dermal LD50 20000 mg/kg (rat) Primary irritant effect:	actions: gents. because of high vapor pressure if heated. air if heated above flash point and/or when sprayed or atomized. heated above the decomposition point. not smoke. s. relevant information available. products: Carbon monoxide and carbon dioxide n al effects ant for classification: bbit) t on skin and mucous membranes.

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

	(Cont'd. of page
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
· Probable route(s) of exposure:	
Inhalation.	
Skin contact.	
Eye contact.	
 Acute effects (acute toxicity, irritation and corrosivity): 	
Vapors have narcotic effect.	
Causes serious eye irritation.	
May be harmful if inhaled.	
• Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.	
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) 	
• Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
• Carcinogenicity: Based on available data, the classification criteria are not met.	
• Reproductive toxicity: Based on available data, the classification criteria are not met.	
• STOT-single exposure: May cause drowsiness or dizziness.	
· STOT-repeated exposure: Based on available data, the classification criteria are not me	et.
• Aspiration hazard: Based on available data, the classification criteria are not met.	
• · ·	
2 Ecological information	
· Toxicity	
• Aquatic toxicity No relevant information available.	
• •	
 Persistence and degradability Easily biodegradable Bioaccumulative potential: No relevant information available. 	
Mobility in soil: No relevant information available. Additional ecological information	

- · Additional ecological information
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects: No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner (Cont'd. of page 8) · Uncleaned packagings • Recommendation: Disposal must be made according to official regulations. • Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information · UN-Number · DOT, ADR, IMDG, IATA UN1950 · UN proper shipping name Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal). · DOT Aerosols · ADR 1950 AEROSOLS · IMDG AEROSOLS · IATA Aerosols, flammable · Transport hazard class(es) · DOT · Class 2.1 Label 2.1 · ADR · Class 2 5F Gases · Label 2.1 · IMDG, IATA · Class 2.1 · Label 2.1 Packing group This UN-number is not assigned a packing group. · Environmental hazards · Marine pollutant: No

(Cont'd. on page 10)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

ade name: <u>Touch 'n Foam Professional F</u>	Polyurethane Foam Cleaner
	(Cont'd. of p
· Special precautions for user	Warning: Gases
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
 Transport in bulk according to Anne MARPOL73/78 and the IBC Code 	Not applicable.
5 Regulatory information	
 Safety, health and environmental remixture United States (USA) SARA 	regulations/legislation specific for the substanc
\cdot Section 355 (extremely hazardous subst	ances):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listi	ings):
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
\cdot Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive	toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproductive	e toxicity for males:
None of the ingredients are listed.	
· Chemicals known to cause development	tal toxicity:
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	:
67-64-1 acetone	
· IARC (International Agency for Research	n on Cancer):
None of the ingredients are listed.	<i>`</i>
• NIOSH-Ca (National Institute for Occupa	itional Safety and Health):
None of the ingredients are listed.	
Canada Canadian substance listings	
· Canadian Domestic Substances List (DS	SL):

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/05/2016

Revision: 04/05/2016

Trade name: Touch 'n Foam Professional Polyurethane Foam Cleaner

(Cont'd. of page 10)

Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 03/15/2016 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Liquefied gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eve Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com