

SAFETY DATA SHEET

1. Identification

Product identifier	WATERSTOP-RX®
Other means of identification	Not available.
Recommended use	Not available.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

Manufacturer/Importer/Supplier/Distributor information

Man		
wan	ufacturer	

Company name Address	CETCO, an MTI Company 2870 Forbs Avenue Hoffman Estates, IL 60192 United States	
Telephone	General Information	800 527-9948
Website	http://www.cetco.com/	
E-mail	safety.data@amcol.com	
Emergency phone number		
Americas	1.866.519.4752 (US, Canada,	Mexico) 1 760 476 3962 Access Code 333562

under applicable regulations.

2. Hazard(s) identification

	-
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Prevention	Observe good industrial hygiene practices.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CARBON BLACK		1333-86-4	< 1
Other components below re	portable levels		90 - 100
Impurities			
Chemical name		CAS number	%
QUARTZ		14808-60-7	
*Designates that a specific che	mical identity and/or percentage of composition has b	een withheld as a trade s	secret.
Composition comments	Occupational Exposure Limits for impurities are occurring crystalline silica (not listed in Annex I o 6%.		5
4. First-aid measures			
Inhalation	Not likely, due to the form of the product. Get me	edical attention, if needed	I.
Skin contact	No specific first aid measures noted. Wash with	water and soap as a prec	caution.

Material name: WATERSTOP-RX®

Eye contact	Flush eyes immediately with large amounts of water. If irritation persists get medical attention.
Ingestion	Not likely, due to the form of the product. If ingestion of a large amount does occur, seek medical attention.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon dioxide (CO2). Use any media suitable for the surrounding fires.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	In the event of fire, wear self-contained breathing apparatus.
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray.
Specific methods	Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Not a fire hazard. No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Personal precautions,	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	For waste disposal, see section 13 of the SDS.
Environmental precautions	None known.

7. Handling and storage

Precautions for safe handlingAvoid prolonged exposure. In case of insufficient ventilation, wear suitable respiratory equipment.Conditions for safe storage,
including any incompatibilitiesNo special restrictions on storage with other products. Store in original tightly closed container.
Store away from incompatible materials (see Section 10 of the SDS). Keep in a cool,
well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
CARBON BLACK (CAS 1333-86-4)	PEL	3.5 mg/m3	
Additional components	Туре	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000)		-	
Additional components	Туре	Value	Form
•••••			
INERT OR NUISANCE DUSTS	TWA	5 mg/m3	Respirable fraction.
INERT OR NUISANCE DUSTS	TWA	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
INERT OR NUISANCE DUSTS	TWA	-	
INERT OR NUISANCE DUSTS	TWA	15 mg/m3	Total dust.
INERT OR NUISANCE DUSTS (CAS SEQ250) Impurities	TWA Type	15 mg/m3 50 mppcf	Total dust. Total dust.

Impurities	Туре	Value	Form
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lim			
Components	Туре	Value	Form
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Impurities	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
CARBON BLACK (CAS 1333-86-4)	TWA	0.1 mg/m3	
Impurities	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted f	or the ingredient(s).	
oosure guidelines	Some of the components of this proc of the physical nature of this product		
propriate engineering htrols	If material is ground, cut, or used in any operation which may generate dusts, use appropriate exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suit respiratory protection must be worn.		sure limits. If engineering
ividual protection measure	s, such as personal protective equipn	nent	
Eye/face protection	Eye wash fountain is recommended. arise from thermal processing.	. Wear safety glasses; chemical	goggles for fumes which may
Hand protection	For prolonged or repeated skin conta	act use suitable protective glove	S.
Other	When material is heated, wear glove	es to protect against thermal burn	าร.
Respiratory protection	When workers are facing concentrat certified respirators. When dusts or t sufficient to effectively remove them, must be provided.	hermal processing fumes are ge	enerated and ventilation is not
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene Isiderations	Use good industrial hygiene practice	es in handling this material.	

9. Physical and chemical properties

-	-	
Appearance		
Physical state	Solid.	
Form	Solid.	
Color	Black. or red	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	

Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)			
Vapor pressure	0 hPa estimated		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Density	1.80 g/cm3 estimated		
Percent volatile	0 % estimated estimated		
Specific gravity	1.8 estimated		
10. Stability and reactivity			
Reactivity	The product is stable and non-reactive under norm	al conditions of use, storage and transport.	
Chemical stability	Stable at normal conditions.		
Possibility of hazardous reactions	Will not occur.		
Conditions to avoid	Contact with incompatible materials.		
Incompatible materials	None known.		
Hazardous decomposition products	-		
11. Toxicological informat	lion		
Information on likely routes of e	xposure		
Ingestion	Expected to be a low ingestion hazard.		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Not available.		
Eye contact	Direct contact with eyes may cause temporary irrita	ation.	
Symptoms related to the physical, chemical and toxicological characteristics	al and		
Information on toxicological effe	ects		
Acute toxicity			
Components	Species	Test Results	
CARBON BLACK (CAS 1333-86-4	4)		
Acute			
Oral			
LD50	Rat	> 8000 mg/kg	
Impurities	Species	Test Results	
QUARTZ (CAS 14808-60-7)			
Acute			
Oral	Det		
LD50	Rat	500 mg/kg	
* Estimates for product may b	e based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	tion.	
Serious eye damage/eye irritation	Mild irritant to eyes (according to the modified Kay & Calandra criteria) Mild irritant to eyes (according to the modified Kay & Calandra criteria)		
Respiratory or skin sensitization	1		
Respiratory sensitization	Not available.		
Okin consitination	Assorting to the eleccification criteric of the Europe	and Inion the preduct is not considered on	

According to the classification criteria of the European Union, the product is not considered as

being a skin irritant.

Skin sensitization

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Risk of cancer cannot be excluded with prolonged exposure.
IARC Monographs. Overall I	Evaluation of Carcinogenicity
CARBON BLACK (CAS 1 QUARTZ (CAS 14808-60 US. National Toxicology Pro	
QUARTZ (CAS 14808-60	-7) Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)
	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)
	According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.
	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.
12. Ecological information	
Ecotoxicity	No data available for this product. This material is not expected to be harmful to aquatic life.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideration	IS
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Material should be recycled if possible.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
Material name: WATERSTOP-RX®	SDS US

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot available.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

WARNING: This product contains a chemical known to the State of California to cause cancer.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

Hazard	categories

Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Yes

SARA 302 Extremely
hazardous substance
SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act	Not regulated.
(SDWA)	

 Food and Drug
 Total food additive

 Administration (FDA)
 Indirect food additive

 GRAS food additive

US state regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

CARBON BLACK (CAS 1333-86-4) QUARTZ (CAS 14808-60-7)

US. Massachusetts RTK - Substance List

CARBON BLACK (CAS 1333-86-4) QUARTZ (CAS 14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (CAS 1333-86-4)	Listed: February 21, 2003
QUARTZ (CAS 14808-60-7)	Listed: October 1, 1988

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	13-August-2014
Revision date	07-May-2015
Version #	09
Further information	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.
	Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.