



# 1. Identification

Product identifier	KILZ® 2 All-Purpose Interior/Exterior Primer
Other means of identification	
Product number	2000
Recommended use	Architectural Coating
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Supplier	Masterchem Industries LLC
	3135 Old Highway M
	Imperial, MO 63052-2834
Telephone	636-942-2510
Emergency telephone	+1 760 476 3962
	+1 866 519 4752
Access code	335213
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name		CAS number	%
Limestone		1317-65-3	10 - 30
Titanium dioxide		13463-67-7	5 - 10
Quartz (SiO2)		14808-60-7	0.1 - 1
Composition comments	All concentrations are in percent by weight un percent by volume.	less ingredient is a gas. Ga	s concentrations a
	The manufacturer has claimed the exact perconstruction Standard.	entage as trade secret unde	er the OSHA Haza
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist	

Innalation	move to resh air. Call a physician il symptoms develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	

KILZ® 2 All-Purpose Interior/Exterior Primer

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
The Color of the Color	Manage and the second first second if the second second state with second size.

Fire fighting<br/>equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handlingAvoid prolonged exposure. Observe good industrial hygiene practices.Conditions for safe storage,<br/>including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the<br/>SDS).

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)			
Туре	Value		
TWA	0.05 mg/m3	0.05 mg/m3	
Contaminants (29 CFR 1910.1000) Type	Value	Form	
PEL	5 mg/m3	Respirable fraction.	
	15 mg/m3	Total dust.	
PEL	15 mg/m3	Total dust.	
	Type TWA Contaminants (29 CFR 1910.1000) Type PEL	TypeValueTWA0.05 mg/m3Contaminants (29 CFR 1910.1000) TypeValuePEL5 mg/m315 mg/m3	

US. OSHA Table Z-3 (29 CFF Components	Туре	Value	Form
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to			_
Components	Туре	Value	Form
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels	local exhaust ventilation, or othe nmended exposure limits. If exp	er engineering controls to
•	such as personal protective equipm		
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Skin protection			
Other	Wear appropriate chemical resistant	0	
Respiratory protection	If airborne concentrations are above respiratory protection. Use a positive uncontrolled release, exposure levels air-purifying respirators may not prov	-pressure air-supplied respirato s are not known, or any other ci	r if there is any potential for a
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene Isiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemical	properties		
bearance	· -		
Physical state	Liquid.		
Form	Liquid		

Liquid.
Liquid.
White.
Slight.
Not available.
7 - 10
Not available.

Initial boiling point and boiling range> 99 °F (> 37.2 °C)Flash pointNot applicable.Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or exu-view limitsNot applicable.flammability limit - lower (%)Not applicable.flammability limit - upper (%)Not applicable.Vapor pressureNot available.Vapor densityNot available.Relative density3.2Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Viscosity50 - 140 KU (77 °F (25 °C))Other information10.99 lo/galExplosive properties Not explosive.Not explosive.Oxidizing properties Not explosive.Not explosive.VOC10.99 lo/galExplosive properties Not explosive.Not explosive.VOC10.91 (including water) (Material) 29 /I (excluding water) (Coating)		
Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or exu-tive limitsflammability limit - lowerNot applicable.(%)Not applicable.flammability limit - upperNot applicable.(%)Not applicable.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.ViscositySol vailable.ObserveryNot available.ViscositySol - 140 KU (77 °F (25 °C))Other informationNot available.pensity10.99 lb/galExplosive propertiesNot available.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	•••••••••••••••••••••••••••••••••••••••	> 99 °F (> 37.2 °C)
Flammability (solid, gas)       Not applicable.         Upper/lower flammability or explosive limits         Flammability limit - lower       Not applicable.         (%)       Not applicable.         Flammability limit - upper       Not applicable.         (%)       Not applicable.         Vapor pressure       Not available.         Vapor density       Not available.         Vapor density       Not available.         Relative density       1.32         Solubility (water)       Soluble in water.         Partition coefficient (n-octanol/water)       Not available.         Auto-ignition temperature       Not available.         Viscosity       Sol - 140 KU (77 °F (25 °C))         Other information       Solupilyal         pensity       10.99 lb/gal         Explosive properties       Not available.         VoC       Not available.         VOC       10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Flash point	Not applicable.
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable. (%)Flammability limit - upper (%)Not applicable. (%)Vapor pressureNot available.Vapor densityNot available.Relative density1.32Solubility(ies)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationJoseph SolueDensity10.99 lb/galExplosive properties 	Evaporation rate	Not available.
Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Vapor pressureNot available.Vapor densityNot available.Relative density1.32Solubility(ies)Soluble in water.Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationUDensity10.99 lb/galExplosive propertiesNot availaig.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Flammability (solid, gas)	Not applicable.
(%)Not applicable.Flammability limit - upper (%)Not applicable.Vapor pressureNot available.Vapor densityNot available.Relative density1.32Solubility(ies)Soluble in water.Solubility(water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationU.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Upper/lower flammability or exp	losive limits
(%)Vapor pressureNot available.Vapor densityNot available.Relative density1.32Solubility(ies)Soluble in water.Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity0.140 KU (77 °F (25 °C))Other informationUExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)		Not applicable.
Vapor densityNot available.Relative density1.32Solubility(ies)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationUse properties DensityDensity10.99 lb/galExplosive properties Oxidizing propertiesNot explosive.Oxidizing properties VOCNot explosive.Og // (including water) (Material) 29 g/l (excluding water) (Coating)		Not applicable.
Relative density1.32Relative density1.32Solubility(ies)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationInterpretionDensity10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Vapor pressure	Not available.
Solubility (ies)Soluble in water.Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationImage: Solubility (including water) (Material) 29 g/l (excluding water) (Coating)	Vapor density	Not available.
Solubility (water)Soluble in water.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other informationInterpretionDensity10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.Visc10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Relative density	1.32
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other information10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Solubility(ies)	
(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other information10.99 lb/galDensity10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Solubility (water)	Soluble in water.
Decomposition temperatureNot available.Viscosity50 - 140 KU (77 °F (25 °C))Other information10.99 lb/galDensity10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)		Not available.
Viscosity50 - 140 KU (77 °F (25 °C))Other information10.99 lb/galDensity10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Auto-ignition temperature	Not available.
Other information       10.99 lb/gal         Density       10.99 lb/gal         Explosive properties       Not explosive.         Oxidizing properties       Not oxidizing.         VOC       10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Decomposition temperature	Not available.
Density10.99 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Viscosity	50 - 140 KU (77 °F (25 °C))
Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Other information	
Oxidizing propertiesNot oxidizing.VOC10 g/l (including water) (Material) 29 g/l (excluding water) (Coating)	Density	10.99 lb/gal
VOC       10 g/l (including water) (Material)         29 g/l (excluding water) (Coating)	Explosive properties	Not explosive.
29 g/l (excluding water) (Coating)	Oxidizing properties	Not oxidizing.
10. Stability and reactivity	VOC	
	10. Stability and reactivity	,

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Fluorine.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristicsDirect contact with eyes may cause temporary irritation.	
Information on toxicological effects	

#### Acute toxicity

Components	Species	Test Results
Quartz (SiO2) (CAS 14808-60-	7)	
<u>Chronic</u>		
Inhalation		
LOEC	Human	0.0563 mg/m3

Components	Species	Test Results
Titanium dioxide (CAS 13463-67-7	7)	
<u>Acute</u>		
Inhalation		
LC50	Rat	3.43 mg/l, 4 Hours
Oral	5.4	
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Due to the form of the produce expected.	ct, exposure to the potentially carcinogenic components is not
IARC Monographs. Overall	Evaluation of Carcinogenicity	/
Quartz (SiO2) (CAS 1480 Titanium dioxide (CAS 13 NTP Report on Carcinogens	3463-67-7)	1 Carcinogenic to humans. 2B Possibly carcinogenic to humans.
	ed Substances (29 CFR 1910.	
Quartz (SiO2) (CAS 1480		Cancer
Reproductive toxicity		to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be	harmful.
12. Ecological information	ו	
Ecotoxicity	The product is not classified as environmentally hazardous.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No data available.	
13. Disposal consideration	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		

### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (SiO2) (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

**Toxic Substances Control Act (TSCA)** 

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

#### SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### Safe Drinking Water Act Not regulated.

(SDWA)

# **US state regulations**

# **US. Massachusetts RTK - Substance List**

Limestone (CAS 1317-65-3) Quartz (SiO2) (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

# US. New Jersey Worker and Community Right-to-Know Act

Limestone (CAS 1317-65-3) Mildewcide (CAS 55406-53-6) Quartz (SiO2) (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

# US. Pennsylvania Worker and Community Right-to-Know Law

Limestone (CAS 1317-65-3) Quartz (SiO2) (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

# **US. Rhode Island RTK**

Limestone (CAS 1317-65-3) Quartz (SiO2) (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

# 16. Other information, including date of preparation or last revision

to other mornation, moraling date of preparation of last revision			
Issue date	26-May-2020		
Revision date	-		
Version #	01		
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0		
List of abbreviations	<ul> <li>DOT: Department of Transportation (49 CFR 172.101).</li> <li>IATA: International Air Transport Association.</li> <li>IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.</li> <li>IMDG Code: International Maritime Dangerous Goods Code.</li> <li>LC50: Lethal Concentration, 50%.</li> <li>LD50: Lethal Dose, 50%.</li> <li>LOEC: Lowest observable effect concentration.</li> <li>MARPOL: International Convention for the Prevention of Pollution from Ships.</li> <li>PEL: Permissible Exposure Limit.</li> <li>TWA: Time Weighted Average Value.</li> </ul>		
References	HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens		
Disclaimer	Masterchem Industries LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.		